



1. 部位別登録件数

	2013年			2014年		
	男性	女性	全体	男性	女性	全体
口腔・咽頭	42	24	66	38	21	59
食道	24	4	28	36	4	40
胃	148	70	218	147	75	222
結腸	68	60	128	75	66	141
直腸	46	26	72	49	19	68
(大腸)	114	86	200	124	85	209
肝臓	23	14	37	18	5	23
胆嚢・胆管	21	16	37	11	9	20
膵臓	20	12	32	21	17	38
喉頭	23	0	23	21	1	22
肺	186	64	250	186	52	238
骨軟部	3	3	6	2	1	3
皮膚	45	38	83	29	47	76
乳房	2	162	164	3	147	150
子宮頸部	—	81	81	—	90	90
子宮体部	—	32	32	—	45	45
子宮	—	0	0	—	0	0
卵巣	—	31	31	—	30	30
前立腺	130	—	130	110	—	110
膀胱	41	12	53	55	14	69
腎尿路	42	13	55	39	9	48
脳神経	9	17	26	9	20	29
甲状腺	8	18	26	13	26	39
悪性リンパ腫	41	43	84	36	31	67
多発性骨髄腫	5	9	14	8	8	16
白血病	20	15	35	14	13	27
他の血液	7	5	12	13	5	18
その他	29	19	48	24	28	52
合計	983	788	1,771	957	783	1,740

※大腸は、結腸と直腸の合計

部位別登録件数グラフ



※大腸は、結腸と直腸の合計







2. 部位別登録割合

	2013年			2014年		
	男性	女性	全体	男性	女性	全体
口腔・咽頭	4.3%	3.0%	3.7%	4.0%	2.7%	3.4%
食道	2.4%	0.5%	1.6%	3.8%	0.5%	2.3%
胃	15.1%	8.9%	12.3%	15.4%	9.6%	12.8%
結腸	6.9%	7.6%	7.2%	7.8%	8.4%	8.1%
直腸	4.7%	3.3%	4.1%	5.1%	2.4%	3.9%
(大腸)	11.6%	10.9%	11.3%	13.0%	10.9%	12.0%
肝臓	2.3%	1.8%	2.1%	1.9%	0.6%	1.3%
胆嚢・胆管	2.1%	2.0%	2.1%	1.1%	1.1%	1.1%
膵臓	2.0%	1.5%	1.8%	2.2%	2.2%	2.2%
喉頭	2.3%	0%	1.3%	2.2%	0.1%	1.3%
肺	18.9%	8.1%	14.1%	19.4%	6.6%	13.7%
骨軟部	0.3%	0.4%	0.3%	0.2%	0.1%	0.2%
皮膚	4.6%	4.8%	4.7%	3.0%	6.0%	4.4%
乳房	0.2%	20.6%	9.3%	0.3%	18.8%	8.6%
子宮頸部	—	10.3%	4.6%	—	11.5%	5.2%
子宮体部	—	4.1%	1.8%	—	5.7%	2.6%
子宮	—	0%	0%	—	0%	0%
卵巣	—	3.9%	1.8%	—	3.8%	1.7%
前立腺	13.2%	—	7.3%	11.5%	—	6.3%
膀胱	4.2%	1.5%	3.0%	5.7%	1.8%	4.0%
腎尿路	4.3%	1.6%	3.1%	4.1%	1.1%	2.8%
脳神経	0.9%	2.2%	1.5%	0.9%	2.6%	1.7%
甲状腺	0.8%	2.3%	1.5%	1.4%	3.3%	2.2%
悪性リンパ腫	4.2%	5.5%	4.7%	3.8%	4.0%	3.9%
多発性骨髄腫	0.5%	1.1%	0.8%	0.8%	1.0%	0.9%
白血病	2.0%	1.9%	2.0%	1.5%	1.7%	1.6%
他の血液	0.7%	0.6%	0.7%	1.4%	0.6%	1.0%
その他	3.0%	2.4%	2.7%	2.5%	3.6%	3.0%
合計	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

※大腸は、結腸と直腸の合計

3. 【5大がん】UICC-TNM分類 治療前ステージ ・ 部位別ステージ別治療法

2013年



3. 【5大がん】UICC-TNM分類 治療前ステージ ・ 部位別ステージ別治療法

2014年

